



SmartCube-300W 人流計數網路攝影

- 最新AI人流計算
- 支援1080P 720P
- 支援無線連接
- 支援夜視功能
- 支援SD卡存儲
- 支援偵測室溫,濕度
- 支援雙向通話
- 支援PIR偵測



最新AI人流計算

使用最新AI人臉人流計算，給您的商店入口最佳的人流計算，人流計算直接推撥到店長和店員手機上，該店主可以跟進客數做基本的人流計算控制。

1080P攝影畫質

四個設備同時在線以及四個通道的圖像可用，實用的“四屏”功能可用於同時查看四個設備的實時監控圖像時間。支持有線和無線連接方式以實現對設備的本地和遠程監控，用戶可以根據個人喜好和實際情況選擇合適的連接方式。





多樣化存儲

動作檢測，視聽錄像報警：打開動作檢測，當螢幕變化時，如果有人經過，設備會自動拍攝圖片，記錄下來，並將報警信息推送到用戶的手機上。

產品規格

Model	SmartCube 300W IP-Camera
Hardware	
攝影機型態	無線網路夜視人流計算攝影機
CPU	TI DMVA2
System ROM	128M byte NAND Flash
System RAM	128M byte DDR SDRAM
影像晶片	1/3" CMOS sensor
最高像數	3MP (2048x1536)
最低照明	無
鏡頭種類	3.6 mm F = 2.0
攝影角度	80°(D) 72 °(H) 47 °(V)
夜視LED	10 IR LEDs
夜視最遠距離	15m
Mechanical ICR	Yes
人體偵測	有
溫度偵測	有
濕度偵測	有
內建音箱	有
內建麥克風	有
SD Card Slot	Micro SDXC

影像	
支援影像	H.264
	MPEG-4
	MJPEG
Video Profile	Yes

Video	
影像大小	20 fps @ 2048 X 1536
	30 fps @ 1920 X 1080
	30 fps @ 1280 x 1024
	30 fps @ 1280 X 720
	30 fps @ 720 X 480
	30 fps @ 640 X 480
	30 fps @ 320 X 240
	30 fps @ 176 X 144
影像串流	Streaming over UDP, TCP, or HTTP
	3GPP mobile view
	Configurable frame rate and bandwidth
	Support both CBR and VBR
熱區感應	Yes
影像後製	AE, AW, BLC,WDR, 3DNR, Fog Compensation
	Brightness, Sharpness, Contrast, Saturation
	Mirror/Flip, NTSC/PAL
	Privacy Masks
	Text, time date image temperature and humidity OSD
數位放大	10X
聲音	
聲音格式	G.71
Audio Streaming	Two-way
Audio Input/ Output	內建麥克風, 音箱
網路	
Ethernet	Ethernet (10/100 Base-T), RJ-45
Wireless	802.11n
Supported Protocols	TCP/IP, IPV6, UDP, ICMP, DHCP, NTP, DNS, DDNS, SMTP, FTP,
	HTTP, HTTPs, Samba, PPPoE, UPnP, Bonjour, RTP, RTSP, RTCP,
	DLNA, ISCSI, Onvif Profile S
Security	Password protection
	IP filter, HTTPS encrypted data transmission
Users	Up to 10 users simultaneous
LED及按鍵	
電源LED	紅
連接 LED	綠
SD Card LED	藍
WPS/Reset Button	Push once to start WPS. Press and hold for 10 seconds to
	start factory reset

Software	
安桌 APP	有
iOS APP	有
Recording Software	Free PC Recording Software
Mobile Web Wizard	Auto Detect and designed for smartphone and tablet PC
PC Web Wizard	Complete function settings
ONVIF	有
Search and Installation program	AirLive IP Wizard II for Windows
系統	
偵測	人流計算
	攝影機震動偵測
	全時錄影
	SD Card 讀寫失敗偵測
	網路斷線偵測
	聲音偵測
	人體偵測
	溫度偵測
	濕度偵測
Motion Detection	3
Event handler	FTP, Samba Server, SD card file upload, Dropbox
	E-mail notice
	Push Notification
	HTTP and TCP notification
	Audio File Playback
UPNP	Yes
Application Programming Interface	Onvif Profile S
	Open API for software integration
	SDK
Video Buffer	Pre- and post- alarm buffering
Alarm Triggers	Motion detection, Periodically Time, SD Card Read/Write
	Fail Detection, Network Disconnect, Audio Detection, PIR
	Detection, Temperature Detection, Humidity Detection.
Continuous Recording	Yes
可使用系統	
系統	Windows VISTA / Windows XP / Windows 7/ Windows 8
瀏覽器	Internet Explorer (8.0+) / Chrome / Firefox / Safari
手機系統	iOS and Android APP
Video Player	VLC, Quick Time, Real Player, Core Player

General	
Power Supply	DC 5V/1A
Power Consumption	4 Watts Max.
Connector	RJ-45 10BaseT/100BaseTX
	DC 5V power jack
產品大小及產品存儲溫度	
Dimensions	H x W x D: 94 x 64 x 40 mm
使用工作溫度	Temp: -5°C ~ 55°C
	Humidity: 20% ~ 85% non-condensing
存儲溫度	Temp: -15°C ~ 60°C
	Humidity: 0% ~ 90% non-condensing

Specifications

Model	SmartCube 300W IP-Camera
	Intelligent 3MP Wireless Cube IPCAM with Temperature & Humidity Sensors
EAN Code	13 Code : 4719869617927
	14 Code : 14719869617924

Standard Package

Package Type	
Package Size	13.5*18.5*7 cm
Package Weight	0.45 kg
Package Content	SmartCube 300W , Stands , Quick Setup Guide, Power adapter , Mounting accessories

Optional Accessories

SP-100E	Network Surge Protector
Grounding cable	600mm

Carton Package

Quantity	20
Dimensions	29*40*39 cm
Weight	10.3 kg