

WPOE-10TX701 BT series

8-Port 10G WebSmart Multi Gigabit PoE++ Switch Including 1 10G SFP+ port, 280W

WPOE-10TX804 BT series

12-Port 10G WebSmart Multi Gigabit PoE++ Switch Including 4 10G SFP+ port, 260W

Quick Setup Guide

www.airlive.com

Declaration of Conformity

We, Manufacturer/Importer

AirLive Technology Corporation 7F, No.120, Lane 235, Baoqian Rd., Xindian Dist., New Taipei City 23145, Taiwan

Declare that the product

8-Port 10G WebSmart Multi Gigabit PoE++ Switch Including 1 10G SFP+ port, 280W

WPOE-10TX701 BT Series

12-Port 10G WebSmart Multi Gigabit PoE++ Switch Including 4 10G SFP+ port, 260W

WPOE-10TX804 BT Series

is in conformity with

In accordance with 2014/30/EU and 2014/35/EU Directive

Clause ■ EN 55032:2015+A11:2020	Description Electromagnetic compatibility (EMC)
■ EN 62368-1:2014+A11:2017	Electromagnetic compatibility (LVD)





WPOE-10TX701 BT series



WPOE-10TX804 BT series

Name : A van Rossem Position/ Title : Product Manager Place: Republic of China (Taiwan) Date: 2025

Regulatory Approvals

CE Statement

This product complies with the 2014/30/EU and 2014/35/EU directives, including the following safety and EMC standards:

- EN 55032:2015+A11:2020 Electromagnetic compatibility (EMC)
- EN IEC 61000-3-2:2019/A1:2021 Electromagnetic compatibility (EMC)
- EN 61000-3-3:2013+A2:2021 Electromagnetic compatibility (EMC)
- EN 55035:2017+A11:2020 Electromagnetic compatibility (EMC)
- EN 62368-1:2014+A11:2017 Electromagnetic compatibility (LVD) - Safety

RoHS Statement

This product complies with RoHS directive 2011/65/EU and amendment Commission Delegated Directive (EU)2015/863.

- IEC 62321-3-1:2013
- IEC 62321-5:2013
- IEC 62321-4:2013+AMD1:2017
- IEC 62321-7-1:2015
- IEC 62321-7-2:2017
- IEC 62321-6:2015
- IEC 62321-8:2017

• CE Marking Warning

This is a Class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

• FCC 47 CFR Part 15 Subpart B (Class A), ANSI C63.4:2014

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.















WPOE-10TX701 BT series

8-Port 10G WebSmart Multi Gigabit PoE++ Switch Including 1 10G SFP+ port, 280W

WPOE-10TX804 BT series

12-Port 10G WebSmart Multi Gigabit PoE++ Switch Including 4 10G SFP+ port, 260W

Quick Setup Guide


www.airlive.com

▼ Installation Steps

Figure A



Figure B



LED DEFINITIONS

Power	Green ON	Power is on and normal.
	Green Off	The switch is not receiving power.
Link/Act RJ-45	Green ON	The port Status LEDs ON Link Connection 10Gbps.
	Yellow ON	The port Status LEDs ON Link Connection 1G/2.5Gbps.
Link/Act SFP+	Green ON	The port Status LEDs ON Link Connection 10Gbps.
	Green ON	The port Status LEDs ON Link Connection 1G/2.5/5Gbps.
PoE LED	Yellow ON	The port Status LEDs ON PoE Power is connected.

English

Installation Step:

- 1. Remove the switch and accessories from the package.
- 2. Connect power to the switch. Make sure that "Power" LED is on.
- 3. Connect your IEEE802.3bt/af/at compliant Power Devices (PD) to Ports 1~7 (WPOE-10TX701) 1~8 (WPOE-10TX804) and the Switch will automatically supply power through these ports (see Figure A/B).
- 4. Check the Port LED indicator status. When a PoE device is connected and the port is supplying power, it light on.
- 5. For more product information visit www.airlive.com.

EN English

Important Information:

- The default IP address: 192.168.2.1
- The default username / password is *admin*

Installation Step:

- 1. Set your PC's IP address to 192.168.2.50.
- 2. Open your web browser and enter "192.168.2.1" to get into the switch Web Management.
- 3. Enter "admin" for username, "admin" for password.