ENJOY CONNECTIVITY

AirLive® Network
For Home and SMB

www.airlive.com

Gigabit
High Speed

AirLive® Network Gigabit Switch delivers Gigabit high speed, 10/100/1000Mbps auto-sensing, auto-MDI/MDIX, Full-Duplex, plug and play

VLAN Security

Internet

User1 ⟷ User2

No data traffic between the users in VLAN security mode

VLAN
Improving Security and Performance

The AirLive Live-16GTM, Live-16GT, and Live-24GT support VLAN Port Isolation and Flow Control functions.This value-added features enhance systems' security and improve network traffic. You can set VLAN easily by switching jumper-pin in the switch's front panel, a cost-affordable solution for small office to separated guests from the company network or in a home to separate tenants.

Gigabit Switch VLAN

24-port Gigabit Switch, VLAN Rack

10/100/1000Mbps   Auto-MDI/MDI-X   Plug and Play

16-port Gigabit Switch, VLAN

ESD/Surge Protection   Port Isolation/ VLAN   Flow Control

Live-24GT
Features

- 24 × 10/100/1000Mbps RJ45, Auto MDI/MDIX
- Switch Capacity: 48Gbps
- Pack forward rate: 35.7Mpps
- MAC Address: 8K; Jumbo Frame: 10K
- Store and Forward
- Isolation / VLAN by DIP-Switch
- Flow Control
- Surge and ESD Protection
- AC100~240V, Metal
- 19" Rack-mountable

Live-16GT | Live-16GTM
Features

- 16 × 10/100/1000Mbps RJ45, Auto MDI/MDIX
- Switch Capacity: 32Gbps
- Pack forward rate: 23.88Mpps
- MAC Address: 8K; Jumbo Frame: 10K
- Store and Forward
- Isolation / VLAN by DIP-Switch
- Flow Control
- Surge and ESD Protection
- AC100~240V
- Metal ; 19" Rack-mountable (Live-16GT)
- Metal: Desktop, Live-16GTM

Gigabit Switch PnP

8-port or 5-port Gigabit Switch

10/100/1000Mbps   Auto-MDI/MDI-X   Plug and Play   ESD/Surge Protection

Live-8GT
Features

- 8×10/100/1000Mbps RJ45
- Auto MDI/MDIX
- Switch Capacity: 18Gbps
- Throughput 11.9Mpps
- MAC Address: 2K
- Packet Buffer: 4M
- Store and Forward
- Surge and ESD Protection
- DC12V/1A Power Adapter

Live-5GT
Features

- 5×10/100/1000Mbps RJ45
- Auto MDI/MDIX
- Switch Capacity: 10Gbps
- Throughput 7.44Mpps
- MAC Address: 2K
- Packet Buffer: 1Mbit
- DC5V/1A Power Adapter

10/100 Switch PnP

8-port or 5-port 10/100Mbps Switch

10/100Mbps   Auto-MDI/MDI-X   Plug and Play   ESD/Surge Protection

Live-8E
Features

- 8 × 10/100Mbps RJ45
- Auto MDI/MDIX
- Switch Capacity: 1.6Gbps
- Throughput 1.19Mpps
- MAC Address: 2K
- Packet Buffer: 1M
- Store and Forward
- Surge and ESD Protection
- DC5V/1A Power Adapter

Live-5E
Features

- 5 × 10/100Mbps RJ45
- Auto MDI/MDIX
- Switch Capacity: 1Gbps
- Throughput 0.744Mpps
- MAC Address: 1K
- Packet Buffer: 768K
- DC5V/1A Power Adapter

16-port 10/100Mbps Switch

10/100Mbps   Auto-MDI/MDI-X   Plug and Play   ESD/Surge Protection

Live-16E
Features

- 16 × 10/100Mbps RJ45
- Auto MDI/MDIX
- Switch Capacity: 3.2Gbps
- Throughput 2.38Mpps
- MAC Address: 8K
- Packet Buffer: 2M
- Store and Forward
- Surge and ESD Protection
- DC5V/1A Power Adapter

airlive®

WIRELESS DEVICE
for Home and SMB

airlive®

2.4GHz   5GHz

2.4GHz   5GHz

The AirLive AC1205R Wi-Fi 5 wireless router drives up to 1200Mbps high speed. It supports concurrent 2.4G and 5Ghz frequency bands that you can connect to your mobile, notebook, PC, or Wi-Fi devices conveniently.
The N305R is an 11n 300Mbps Router. The Routers are equipped with 5dBi external antennas which ensures great signal coverage; 1 WAN and 4 LAN ports make it ideal for both wired and wireless connections.

Moreover, there are wireless extender and USB Adapter in your option.

Wi-Fi5 11ac 2.4Ghz /5Ghz Router

2.4GHZ 5GHZ	**5**	**1200Mbps**
5/2.4Ghz Dual Band	11AC	1200 Mbps
×5	**5dBi**	
1WAN 4LAN	5dbi Antenna	Multi Function

AC1205R
Features
- 802.11b/g/n/ac 1200Mbps 11ac router
- 2.4Ghz/5Ghz Dual Band
- Multi-function mode:
  AP, Client, Repeater (Extending the coverage),
  Bridge , Router (AP Router / WISP Client Router)
- One 10/100Mbps Ethernet WAN (Internet port)
- Four 10/100Mbps Ethernet LAN Ports
- 4 × 5 dBi external Antenna
- Wireless Security encryption
- 64/128 bits WEP, WPA-PSK/WPA2-PSK

Wi-Fi4 11n 2.4Ghz Router

|		
300Mbps	**4**	**2.4GHZ**
300 Mbps	11N	2.4Ghz
×5	**5dBi**	
1WAN 4LAN	5dbi Antenna	Multi Function

N305R
Features
- 802.11b/g/n 300Mbps 11n router
- 2.4Ghz
- Multi-function mode:
  AP, Client, Repeater (Extending the coverage),
  Bridge , Router (AP Router / WISP Client Router)
- One 10/100Mbps Ethernet WAN (Internet port)
- Four 10/100Mbps Ethernet LAN ports
- 2 × 5 dBi external Antenna
- Wireless Security encryption
- 64/128 bits WEP, WPA-PSK/WPA2-PSK

Wireless Extender (repeater)

Extender N3

Features

- 802.11b/g/n 300Mbps 11n Range extender, 2.4Ghz
- Working mode: Repeater | AP
- One 10/100Mbps LAN port
- Wireless Security encryption supported

Extender N3A

Features

- 802.11b/g/n 300Mbps 11n Range extender, 2.4Ghz
- Working mode: Repeater | AP
- One 10/100Mbps LAN port
- 2 External Antennas
- Wireless Security encryption supported

Wireless USB Adapter

USB-N15A

Features

- 802.11b/g/n 150Mbps 11n, 2.4Ghz
- Wireless Security encryption supported
- 90-degree Rotatable antenna
- Made for Windows, MacOS, Linux

USB-N15

Features

- 802.11b/g/n 150Mbps 11n, 2.4Ghz
- Wireless Security encryption supported
- Made for Windows, MacOS, Linux

Useful Operation AirLive Router

AirLive Router AC1205R and N305R provide useful operation modes, AP (Access Point), Client, Repeater (Extending the coverage), Bridge and Router (AP Router / WISP client router). This unique feature contributes great flexibility for your operation.

AP ROUTER

WAN

ISP Modem

Notebook   AC1205R   Notebook

CLIENT MODE

Remote AP   AC1205R   PC

ACCESS POINT (AP) MODE

Switch

Notebook   AC1205R   Notebook

REPEATER

Wireless Router   AC1205R   Notebook
SSID:ABC   SSID:ABC

BRIDGE

Wireless Router   AC1205R   Notebook
SSID:ABC   SSID:123

WISP CLIENT MODE

WISP   AC1205R   LAN